

DPG accessories

Cables & Connectors

Connector system for use with power modules, giving quick and simple installation

key features

- 3 pole male and female pre-moulded connectors with 1.5mm² cable
- Available in black or white
- Custom lengths available on request in 0.5 metre increments up to 10 metres
- Connectors comply with BS 5733
- Separate system for dedicated power supplies can be supplied upon request

Starter Cable 13A UK Plug to Female Wieland Connector (ST18/3)

length	black code	white code
1m	600001	600197
1.5m	600002	600198
2m	600003	600011
2.5m	600004	600911
3m	600005	600013
3.5	600006	600912
4m	600007	600669
5m	600008	600566
6m	600009	600599
7m	600010	600918
8m	600029	600919
9m	600031	600920
10m	600084	600910



Connector Cable Male Wieland (ST18/3) to Female Wieland Connector (ST18/3)

length	black code	white code
0.3m	620009	620018
0.5m	620010	620019
1m	620011	620020
1.5m	620012	620021
2m	620013	620022
2.5m	620014	620023
3m	620015	620024
3.5m	620016	620025
4m	620017	620026



Earth Kit

Earth leads can be provided for connection to the modules and for earth bonding between metal framed furniture, in accordance with BS 6396:2008 where relevant. These are available in a variety of lengths and terminations

Consisting of earth cable, M5 ring terminal on both ends & screws

length	code
200mm	640199
250mm	640141
300mm	640200
500mm	640201




Cable Locking Clips, Connectors, Blanking Plugs & Earth Leads

16 Series Self-Fit Connectors

Suitable for terminating cables to produce mains or connector leads. We recommend that only the female is used for mains input lead applications. These connectors are rated at 16 Amps, we recommend that 1.5mm² cable diameter is used for assembly purposes

self fit connector	black	white
male	160054	160055
female	160045	160049



16 Series Cable locking Clip

black	white
160035	160400



16 Series Connector Blocks

key features

- 1 Male inlet to 1 Female outlet to connect modules together without a cable
- 2 Connector blocks are required per connection
- Colour options, black or white

black	white
160004	160005




16 Series Mains Splitter

key features

- 1 Male inlet to 3 Female outlets, with fixing lugs, black or white

mains splitter	black	white
standard	160008	160011
extended in height (to suit the self fit connectors)	160312	160009



16 Series Blanking Plugs

plug	black	white
male	160020	160021
female	160018	160019



DPG accessories

Trunking, Clips & Clamps

65 Series Hi-tech Trunking

key features

- Solves the problem of untidy cabling
- Three separate channels for power, voice and data segregation
- Two piece wipe through T-shaped strips for addition or removal of cables
- Cutting service is available for non-standard lengths
- Self-adhesive backing strip
- Can be drilled and screw mounted
- Colour black



code length (mm)

650007	1000
650013	1500
650016	2000

65 Series Flexible Cable Trunking


key features

- Simple means of keeping cables tidy
- Suitable for use on furniture, control gear and enclosures
- Available in three sizes
- Supplied in 500mm lengths
- Slip ring for quick addition or removal of cables
- Self-adhesive backing strip
- Colour Grey



code diameter

650033	20mm
650034	30mm
650035	40mm



63 Series Cable Clip

key features

- Handy clip providing a simple method of holding cables
- Self-adhesive fixing
- Colour Grey

code

630001



63 Series Cable Clamp

key features

- Used to provide a secure cable fixing at the point of entry or exit from furniture
- Screws not provided

code

630002



Hi-Tech Desk Grommet

A high quality cast aluminium desk grommet. Brush strip on cable entry port. The unit features a twist lock action to retain the lid. Easily retro fitted into a 80mm diameter hole. Minimum work surface thickness is 22mm

code	colour	hole size
520114	silver	80mm



Plastic Desk Grommets



A high quality plastic desk grommet. Easily retro fitted into a 80mm diameter hole. Minimum work surface thickness is 22mm

key features

- Cover plate conceals all the cables below the desk top
- Cover is removable to allow the introduction of cables with a fitted plug
- Removable slide can be stored in a recess under the cover plate
- Manufactured from high impact plastic
- Other colours may be specified for contract quantities

Plastic Desk Grommet

code	colour
520001	black
520002	grey
520003	brown



code	colour
520145	silver

DPG accessories

Fuses

code	description
440175	100x 3.15A Fuses
440176	100x 5A Fuses



80mm Grommet Mount for Cygnus Arm

Alternative mounting option for our Cygnus monitor arm. The 80mm grommet allows the Cygnus to be mounted in any 80mm hole

code	description
520139	Silver
520146	Black
520147	White



114mm Eclipse Desk Cable Outlet

Larger cable grommet, ideal for where our Eclipse modules have been installed, and an exit for cables is required from the desk top

code
660004



Grey RJ45 Cat5e Data Patch Cords

Ideal for connecting any RJ45 compliant device to our range of Cat5e equipped modules

code	size
161060	1m
161061	2m
161062	3m
161063	4m
161064	5m
161065	10m



'C' Clamp - Standard

The "C" clamp accommodates a desk top thickness of between 20mm to 32mm. To tighten the clamp use a 5mm allen key

code
440005



'C' Clamp - Slim Line Desks

The "C" clamp accommodates a desk top thickness of between 11mm to 32mm. To tighten the clamp use a 5mm allen key

code
440007

'C' Clamp – Desk with Screen

The 'C' Clamp has an extended top arm (60mm compared to the standard 35mm) to fit under a screen. Accommodates desk top thickness of between 20mm to 32mm. To tighten the clamp use a 5mm allen key

code
250265

Wedge Slatwall Fixing Clamp

Suitable for mounting upright wedge on a tool rail or slat wall

code
440049

Adhesive Fixing Kit

The adhesive strips have been rigorously tested to ensure that they work on a variety of surfaces. Please check with the furniture provider as to the suitability of the surface finish. DPG will not be held liable for any damage resulting from the normal use of this product

code
440006

can't find what you want?
...why not give us a call!

sales line: 01709 829511

